

CLAIM LIST

In the Claims:

1. (Previously Presented) A method for printing information comprising:
storing information corresponding to a print task in memory in a print-ready format,
such that information in the print-ready format can be printed by a printing device without
being processed by a driver; and
enabling a selected portion of the information in the print-ready format to be printed
without printing a non-selected portion of the information in the print-ready format.
2. (Previously Presented) The method of claim 1, further comprising:
providing a printing device; and
printing the selected portion of the information in the print-ready format using the
printing device.
3. (Original) The method of claim 2, wherein storing information comprises:
storing the information in the print-ready format in memory associated with the
printing device.
4. (Previously Presented) The method of claim 1, further comprising:
receiving an input corresponding to a user's intent to print only a portion of the
information in the print-ready format; and
enabling only the selected portion of the information in the print-ready format to be
printed.

5. (Previously Presented) The method of claim 4, further comprising:
receiving an input corresponding to a user's intent to print the entire information in
the print-ready format; and

enabling the entire information in the print-ready format to be printed.

6. (Previously Presented) The method of claim 4, further comprising:
enabling the user to select at least the portion of the information in the print-ready
format to be printed.

7. (Previously Presented) The method of claim 6, wherein the printing device
has a user interface; and

wherein enabling the user to select at least the portion of the information in the print-
ready format comprises:

enabling the user to select at least the portion of the information in the print-ready
format via the user interface.

8. (Original) The method of claim, 7 wherein the user interface is a graphical
user interface.

9. (Previously Presented) The method of claim 6, further comprising:
providing a driver, the driver being configured to receive information and configure the information in the print-ready format, the driver being further configured to provide a graphical user interface; and
wherein enabling the user to select at least the portion of the information in the print-ready format comprises:
enabling the user to select at least the portion of the information in the print-ready format via the graphical user interface.

10. (Previously Presented) A print system comprising:
a job retention system configured to store print-ready information corresponding to a print task and to receive an input corresponding to a selected portion of the print-ready information, the print-ready information being configured for use by a printing device such that the information can be printed by the printing device without being processed by a driver of the printing device, the job retention system being further configured to enable the selected portion of the print-ready information to be printed without printing a non-selected portion of the print-ready information.

11. (Previously Presented) The print system of claim 10, further comprising:
a printing device having a memory, the print-ready information being stored in the memory of the printing device; and
wherein the job retention system resides in the printing device.

12. (Previously Presented) The print system of claim 10, wherein the printing device includes a user interface, the user interface being configured to enable a user to select at least the portion of the print-ready information.

13. (Original) The print system of claim 10, wherein the user interface is a graphical user interface.

14. (Previously Presented) The print system of claim 11, further comprising:
a workstation communicatively coupled to the printing device, the workstation having a driver, the driver being configured to convert information into the print-ready information and provide the print-ready information to the printing device, the driver being further configured to provide a graphical user interface, the graphical user interface being configured to enable the user to select at least the portion of the print-ready information..

15. (Previously Presented) The print system of claim 10, further comprising:
a workstation having a driver configured to provide a graphical user interface, the graphical user interface being configured to enable a user to select at least the portion of the print-ready information.

16. (Original) The print system of claim 10, further comprising:
means for storing the information in the print-ready format.

17. (Original) The print system of claim 16, wherein the means for storing the information in the print-ready format is a disk drive.

18. (Original) The print system of claim 17, further comprising:

a printing device associated with the job retention system; and

wherein the disk drive is a component of the printing device.

19. (Original) The print system of claim 17, further comprising:

means for configuring the information corresponding to the print task in the print-ready format.

20. (Original) The print system of claim 19, wherein the means for configuring the information is associated with a driver, the driver being configured to receive information in a non-print-ready format and convert the information to the print-ready format.

21. (Previously Presented) The method of claim 1, wherein the selected portion of the print-ready information defines a page of the print task.

22. (Previously Presented) The method of claim 1, wherein the selected portion of the print-ready information defines a range of pages of the print task.

23. (Previously Presented) The method of claim 1, wherein the storing information corresponding to a print task in memory in a print-ready format further comprises:

storing a collection of information in the print-ready format corresponding to a plurality of print tasks in the memory.